







REVISION HISTORY				
ECO	ZONE	REV.	DESCRIPTION	DATE
				APPR'D

2. CUSTOM CABLE REQUIRED FOR FIRST CABINET CONNECTION
1. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
- NOTES: UNLESS OTHERWISE SPECIFIED.

	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS (INCHES)		ENGR BY				LEVARD EUROPE s.r.o. Zaborské 519 08253 Zaborské / Slovakia	
	TOLERANCES:		DRAWN BY					
			MAZ					
			1/9/2019					
X= .01		XX= .025		CHECKED BY				
.X= .05		.X= .01		USED ON				
DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994				MATERIAL		TITLE		
THIRD ANGLE PROJECTION						TVF PRODUCT OUTLINE		
				FINISH				
				SIZE		PART NO.		
				D		-		
				DRAWING NO.		REV		
				-		1		
				SCALE		1:2		
				DO NOT SCALE		SHEET 1 OF 6		









2. ENSURE THE DISPLAYS ARE MOUNTED FLAT, LEVEL, AND PLUMB

1. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

NOTES: UNLESS OTHERWISE SPECIFIED.

SIZE	PART NO.	DRAWING NO.	REV.
D	-		
SCALE	DO NOT SCALE	SHEET	4 OF 6
1:2			

TOP TRIM




Technical drawing of a long, thin mechanical component, showing two views with dimensions in brackets and values in parentheses.

Top View:



- Width: $[2.32]$ 59.0
- Length: $[23.70]$ 602.0
- Central rectangular feature.
- Two circular features (holes) on the left side.
- Two circular features (holes) on the right side.

Bottom View:


- Height: $[1.57]$ 40.0
- Small rectangular feature on the left side.




Technical drawing of a rectangular plate. The drawing shows a top view and a side view. The top view is a rectangle with a width of 61.0 and a length of 604.4. The side view shows a thickness of 2.40. There are two circular features, one on each end, with a diameter of 23.80. The drawing is labeled with dimensions in brackets: [2.40] for thickness, [61.0] for width, [23.80] for diameter, and [604.4] for length.



- NOTES: UNLESS OTHERWISE SPECIFIED.



OPTIONAL HORIZONTAL BRACKET



OPTIONAL CENTER BRACKET

